

IN THE CLAIMS:

The content and status of each claim follows:

1-48. (cancelled)

49. (currently amended)

A print medium having a microporous coating comprising:

a substrate which serves as a base of said print medium;

a first microporous layer comprising a first binder; and

a fusible latex layer deposited over said first microporous layer, wherein said fusible latex layer is microporous and includes particles comprising a hard core material and a soft shell material;

wherein said latex exhibits self-adhesive properties at a room temperature such that said latex layer remains in place on said first microporous layer without requiring a second binder and without being fused;

~~The microporous coating of claim 48,~~ wherein said latex layer is ink permeable and permits the transmission of ink through said latex layer to said first microporous layer prior to said fusible latex layer being fused.

50. (cancelled)

51. (currently amended) The print medium having a microporous coating of claim 49, wherein, after a printing process in which ink has passed through said latex layer,

said latex is for forming a fused, continuous transparent film by the application of thermal energy or pressure.

52. (currently amended) The print medium having a microporous coating of claim 51, wherein said hard core material exhibits a glass transition temperature above 80 degrees Celsius and said soft shell material exhibits a glass transition temperature below 70 degrees Celsius.

53. (currently amended) The print medium having a microporous coating of claim 52, wherein said hard core material comprises one of poly(methylmethacrylate), poly(styrene), poly(p-methylstyrene), poly(t-butylacrylamide), poly(styrene-co-methylmethacrylate), poly(styrene-co-t-butylacrylamide), poly(methylmethacrylate-co-t-butylacrylamide), or homopolymers derived from p-cyanophenyl methacrylate, pentachlorophenyl acrylate, methacrylonitrile, isobornyl methacrylate, phenyl methacrylate, acrylonitrile, isobornyl acrylate, p-cyanophenyl acrylate, 2-chloroethyl acrylate, 2-chloroethyl methacrylate, 2-naphthyl acrylate, n-isopropyl acrylamide, 1-fluoromethyl methacrylate, isopropyl methacrylate, or 2-hydroxypropyl methacrylate.

54. (cancelled)

55. (currently amended) The print medium having a microporous coating of claim 52, wherein said soft shell material comprises a cationic monomer or a salt of a cationic monomer.

56. (currently amended) The print medium having a microporous coating of claim 55, wherein said soft shell material comprises one of poly(n-butyl acrylate co-trimethylammoniummethyl acrylate), poly(2-ethylhexyl acrylate co-trimethylammoniummethyl acrylate) poly(methoxyethylacrylate co-trimethylammoniummethyl acrylate), poly(ethoxyethylacrylate co-trimethylammoniummethyl acrylate), poly(n-butylacrylate-co-trimethylammoniummethyl acrylate), poly(n-butylacrylate-co-trimethylammoniummethyl methacrylate), poly(n-butylacrylate-co-vinylbenzyltrimethylammonium chloride), poly (n-ethylhexylacrylate-co-2-hydroxyethylacrylate co-trimethylammoniummethyl acrylate), poly (n-butylacrylate-co-2-hydroxyethylacrylate co-trimethylammoniummethyl acrylate), poly(n-ethylhexylacrylate -co- vinylbenzyltrimethylammonium chloride), poly(n-methoxyethylacrylate -co- vinylbenzyltrimethylammonium chloride), or poly(n-ethoxyethylacrylate -co-vinylbenzyltrimethylammonium chloride).

57. (currently amended) The print medium having a microporous coating of claim 49, wherein said latex further comprises a coalescing agent.

58. (currently amended) The print medium having a microporous coating of claim 57, wherein said coalescing agent comprises one of ethylene glycol, propylene glycol, hexylene glycol, ester of ethylene glycol, propylene glycol, hexylene glycol, 2-butoxyethanol, 2,2,4-trimethylpentane diol monoisobutyrate, diisobutyl esters of a mixture of diacids, butyl cellulose, 2-(2-butoxyethoxy)ethanol, 2-butoxyethanol, diisobutyl succinate, diisobutyl glutarate, diisobutyl adipate.

59-70. (cancelled)

71. (currently amended) The print medium having a microporous coating of claim 52, wherein said soft shell material comprises one of a homo- or copolymer derived from n-butyl acrylate, n-ethylacrylate, 2-ethylhexylacrylate, methoxyethylacrylate, methoxyethoxy-ethylacrylate, ethoxyethylacrylate, ethoxyethoxyethylacrylate, 2-ethylhexyl-methacrylate, n-propylacrylate, hydroxyethylacrylate, tetrahydrofurfuryl acrylate, cyclohexylacrylate, iso-decylacrylate, n-decylmethacrylate, n-propylacrylate, vinylacetate, 2-(N,N-Dimethylamino)ethyl methacrylate, 2-N-Morpholinoethyl acrylate, or 3-Dimethylaminoneopentyl acrylate.

72. (currently amended) The print medium having a microporous coating of claim 52, wherein said soft shell material comprises one of tetrahydrofurfuryl acrylate, cyclohexylacrylate, iso-decylacrylate, n-decylmethacrylate, vinylacetate, 2-(N,N-Dimethylamino)ethyl methacrylate, 2-N-Morpholinoethyl acrylate, or 3-Dimethylaminoneopentyl acrylate.

73-79. (cancelled)

80. (currently amended) The print medium having a microporous coating of claim [[48]] 49, wherein core material comprises more than 50% by weight of said particles.

81. (currently amended) The print medium having a microporous coating of claim [[48]] 49, wherein core material comprises polystyrene and is 50% by weight of said

particles, and said shell material comprises n-ethylhexylacrylate that is 40% by weight of said particles and 2-hydroxyethylacrylate that is 10% by weight of said particles.

82. (currently amended) The print medium having a microporous coating of claim ~~[[48]]~~ 49, wherein core material comprises polystyrene and is 70% by weight of said particles, and said shell material comprises ethoxyethylacrylate and is 30% by weight.

83. (currently amended) The print medium having a microporous coating of claim ~~[[48]]~~ 49, wherein core material comprises Polymethylmethacrylate and is 70% by weight of said particles, and said shell material comprises 2-hydroxyethylacrylate and is 30% by weight.

84. (currently amended) The print medium having a microporous coating of claim ~~[[48]]~~ 49, wherein core material comprises polystyrene and is 40% by weight of said particles, and said shell material comprises n-ethylhexylacrylate that is 40% by weight of said particles and 2-hydroxyethylacrylate that is 20% by weight of said particles.

85. (currently amended) The print medium having a microporous coating of claim ~~[[48]]~~ 49, wherein said first microporous layer comprises aluminum.

86. (currently amended) The print medium having a microporous coating of claim ~~[[48]]~~ 49, wherein said particles are smaller than 200 nm.

87. (currently amended) The print medium having a microporous coating of claim [[48]] 49, wherein said shell material has a Tg from above 20 ° C up to 70° C.

88. (currently amended) The print medium having a microporous coating of claim [[48]] 49, wherein said fusible latex layer is coating at 1 to 2 grams per square meter on said first microporous layer.

89. (currently amended) The print medium having a microporous coating of claim [[48]] 49, wherein said first microporous layer is 10 to 50 grams per square meter and said fusible latex layer is 0.1 to 10 grams per square meter.

90. (currently amended) The print medium having a microporous coating of claim [[48]] 49, wherein said shell material comprises a coalescing agent that lowers the Tg of a shell of said particles.